International Journal of Scientific Research and Engineering Development-– Volume 8 Issue 4, July-Aug 2025
Available at www.ijsred.com

RESEARCH ARTICLE OPEN ACCESS

Plant Disease Detection Using Convolutional Neural Networks with PyTorch

Aditya Magar, Rishith Poojary
Artificial Intelligence and Data Science, Shah and Anchor Kutchhi Engineering College, Chembur, Mumbai, Maharashtra, India
Email: adityaiim11@gmail.com
Artificial Intelligence and Data Science, Shah and Anchor Kutchhi Engineering College, Chembur, Mumbai, Maharashtra, India
Email: rishipoojary05@gmail.com

----------**********----------

Abstract:

This project presents an image-based deep learning solution for detecting diseases in potato leaves using Convolutional Neural Networks (CNNs). Given the prevalence and economic impact of diseases like early blight and late blight, timely and accurate detection can significantly reduce crop losses. The model is trained on a curated dataset of healthy and infected potato leaves and implemented using PyTorch. Achieving an accuracy of 97%, the system is deployed via a Flask-based web application, enabling users to perform real-time disease diagnosis. The approach integrates modern machine learning techniques with accessible technologies, offering a scalable solution for precision agriculture.

Keywords **— Potato Disease Detection, Convolutional Neural Networks (CNN), Deep Learning, Image Classification, Precision Agriculture, Early Blight, Late Blight, Plant Pathology, PyTorch, Flask Deployment, Smart Farming.**

----------**********----------

INTRODUCTION

Agricultural productivity is deeply influenced by plant health, and potato crops are particularly vulnerable to diseases like early blight (*Alternaria solani*) and late blight (*Phytophthora infestans*). Traditional disease diagnosis methods depend heavily on expert inspection, which is not always available, especially in rural areas. This often leads to delayed responses and substantial economic losses. The advancement of deep learning, especially CNNs, has made image-based classification a viable solution for automating disease detection. By leveraging CNN architectures, this project focuses on accurately identifying plant diseases and delivering scalable tools to support farmers.Access to agricultural specialists is often limited in developing regions, making disease identification a major challenge. A delay in diagnosis can devastate crop yields. Through this project, we aim to bridge this gap by offering an automated, accessible tool that empowers farmers with quick and reliable plant disease predictions, enhancing crop protection and agricultural sustainability.

LITERATURE REVIEW

1. Paper Name: Leaf Disease Detection of Multiple Plants Using Deep Learning
   Author: Shital Pawar, Sakshi Shedge, Nibedita Panigrahi
   This paper presents a 15-layer Convolutional Neural Network (CNN) designed to identify diseases in the leaves of 10 different plant species. It also integrates supportive features such as pesticide recommendations, weather forecasts, and supplier contact information. The system promotes smart agriculture by automating the diagnosis process. However, it faces limitations in generalizability and requires retraining for use with new datasets or plant varieties.

2. Paper Name: Multi-Class Plant Leaf Image Disease Prediction Using Deep Learning Algorithm
   Author: Not specified (ICKES 2022)
   This study introduces an advanced vision transformer-based model (EVTC) that utilizes color-based segmentation and data augmentation techniques for improved classification of plant diseases. The incorporation of self-attention mechanisms boosts the system's accuracy and robustness. Despite its performance, the approach is computationally intensive and unsuitable for real-time or low-resource scenarios due to complex preprocessing requirements.
3. Paper Name: Plant Disease Prediction Using Convolutional Neural Networks
   Author: Not specified (IEEE RMKMATE 2023)
   The authors propose a CNN-based model coupled with IoT devices for remote disease detection in plant leaves. The system enables real-time monitoring, environmental data collection, and early alerts, contributing to precision agriculture. Nevertheless, the model's reliance on the VGG-19 architecture and its limited disease categories restrict its scalability and resource efficiency.
4. Paper Name: Potato Leaf Disease Classification Using Deep Learning Approach
   Author: Rizqi Amaliatus Sholihati, Indra Adji Sulistijono, Anhar Risnumawan, Eny Kusumawati
   This research focuses on the classification of potato leaf diseases using CNNs. The model is trained to differentiate between healthy, early blight, and late blight-affected leaves. The study highlights the effectiveness of deep learning for potato crop disease detection but lacks details on deployment strategy and external dataset testing.
5. Paper Name: Potato Leaf Diseases Detection Using Deep Learning
   Author: Divyansh Tiwari, Mritunjay Ashish, Nitish Gangwar, Abhishek Sharma, Suhanshu Patel, Dr. Suyash Bhardwaj
   The paper discusses a CNN-based approach developed by undergraduate students for the identification of potato leaf diseases. Their system aims to improve farming decisions through automation. While the model performs reasonably well, the study is limited in scale, and further validation using larger datasets and advanced techniques is required.
6. Paper Name: Potato Leaf Disease Detection Using CNN
   Author: Priya Khobragade, Abhishek Shriwas, Shruti Shinde, Aniruddha Mane, Ankush Padole
   This work demonstrates the implementation of a CNN model capable of classifying potato leaf images into three categories—healthy, early blight, and late blight. It emphasizes deployment readiness by integrating a Flask-based web interface. While the system achieves high accuracy, it faces challenges in improving recall for early blight due to visual similarity with other diseases.

LIMITATIONS OF EXISTING SYSTEMS

Although deep learning has significantly advanced plant disease detection, existing systems still face notable challenges. Many models perform well on specific datasets but fail to generalize to new or real-world data due to limited diversity during training. Architectures such as Vision Transformers and VGG-19 offer high accuracy but are resource-intensive, making them impractical for real-time use on low-power devices or in rural settings with limited infrastructure. Additionally, most systems are designed for a narrow range of crops or diseases, reducing their adaptability and scalability across different agricultural contexts. The high visual similarity between various plant diseases further complicates classification accuracy. Moreover, while many models succeed in controlled environments, they often lack deployment mechanisms, such as user-friendly web or mobile platforms, which are crucial for widespread adoption by farmers and field experts. Furthermore, frequent retraining is often required when adapting these models to new conditions, making maintenance and real-world application more demanding.

PROPOSED SYSTEM

The proposed system is designed to automate the detection of potato leaf diseases using a deep learning-based approach centered around Convolutional Neural Networks (CNNs). The process begins with the collection and preprocessing of a curated dataset consisting of images of healthy and diseased potato leaves. These images undergo standard transformations such as resizing, normalization, and augmentation to improve the model's ability to generalize across varied input conditions.

The core of the system lies in the construction of a CNN model using PyTorch. The architecture incorporates convolutional layers for extracting image features, pooling layers for dimensionality reduction, batch normalization for training stability, and fully connected layers for classification. The model is trained on an 80-20 split of the dataset, with 80% used for training and 20% reserved for validation. To ensure reliable performance, the Adam optimizer is employed, and overfitting is controlled using EarlyStopping mechanisms. The final output layer uses a softmax function to classify the images into healthy, early blight, or late blight categories.

Fig. 1: Web Interface Displaying Early Blight Detection with 100% Confidence



Fig. 2: Web Interface Displaying Late Blight Detection with 100% Confidence



Fig. 3: Web Interface Displaying Healthy Leaf Detection with 100% Confidence



Once trained and validated, the model is integrated into a Flask web application, providing an intuitive interface that allows users to upload images and receive real-time disease predictions. This web-based deployment makes the system accessible to farmers, agricultural professionals, and researchers, enabling rapid and accurate diagnosis from any location with internet access. The modular nature of the system ensures that it can be adapted in the future for other crops, such as tomatoes, with only minor adjustments to the dataset and model architecture.

SYSTEM ARCHITECTURE

The system architecture for potato disease detection is structured as a comprehensive deep learning pipeline that integrates data preprocessing, model development, training, evaluation, and deployment. Initially, the input data, comprising images of potato leaves, is subjected to a preprocessing phase that involves resizing, cropping, normalization, and augmentation. These

transformations ensure uniformity in image dimensions and enhance the model's robustness to variations in lighting, background, and leaf orientation. The dataset is then divided into training, validation, and testing subsets using a randomized and balanced index-based split, allowing for unbiased learning and evaluation.

The central component of the architecture is a Convolutional Neural Network (CNN) designed using the PyTorch framework. The model includes multiple convolutional layers that automatically learn and extract features from the input images, followed by pooling layers that reduce the dimensionality while preserving essential patterns. Batch normalization layers are incorporated to stabilize and accelerate the training process. The output from the convolutional stack is flattened and passed through fully connected layers that culminate in a softmax classifier, which categorizes the image into one of three classes: healthy, early blight, or late blight.

To optimize learning, the model employs the Adam optimizer and uses cross-entropy loss as the objective function. The training process is monitored across multiple epochs, and techniques like EarlyStopping are implemented to halt training when performance on the validation set no longer improves, thereby preventing overfitting. After successful training and testing, the model is encapsulated within a Flask-based web application. This application serves as the user interface where users can upload leaf images and receive instant predictions regarding the health status of the plant. The seamless integration of deep learning with a web interface allows the system to be effectively utilized in real-world agricultural scenarios.

CONCLUSION

The advancement of technology in the agricultural domain has opened up new possibilities for addressing age-old challenges, particularly in the area of crop disease management. This project successfully demonstrates how deep learning techniques—specifically Convolutional Neural Networks (CNNs)—can be harnessed to automate the detection of potato leaf diseases, such as early blight and late blight, with remarkable accuracy. By training the model on a curated dataset and deploying it through a user-friendly web application, the system provides an efficient, cost-effective, and scalable solution for early disease identification.

Traditional methods of plant disease diagnosis typically rely on human expertise, which can be inconsistent, time-consuming, and inaccessible to farmers in remote areas. The automated system proposed in this work bridges that gap by offering a fast and reliable diagnostic tool that requires no specialized knowledge to operate. With an achieved accuracy of 97%, the CNN model exhibits strong generalization capabilities, making it a promising asset in precision agriculture. Moreover, the deployment using the Flask framework ensures that the model is not confined to laboratory settings but is available for practical, real-world applications. This enables farmers, agronomists, and agricultural consultants to make informed decisions promptly, thereby minimizing crop loss and improving overall productivity.

One of the key strengths of this project lies in its modular design, which not only facilitates potato disease detection but also opens up avenues for future expansion to other crops, such as tomatoes or rice. The adaptability of the system means it can be fine-tuned for different types of plants with minimal changes to the architecture and dataset, making it a versatile solution for a wide range of agricultural contexts. Additionally, the integration of deep learning with web-based technologies marks a significant step toward democratizing artificial intelligence by making it accessible to users beyond the research community.

However, while the current system performs exceptionally well under the tested conditions, further work is needed to enhance its robustness in field environments. Variations in lighting, background clutter, and leaf occlusion can impact prediction performance, and future iterations of the model can benefit from more diverse and augmented datasets. Furthermore, extending the platform to mobile devices could significantly increase its usability, especially for farmers in regions with limited internet access.

In conclusion, the proposed system highlights the transformative potential of artificial intelligence in

agriculture. It not only contributes to solving a critical problem faced by potato farmers but also lays the foundation for broader applications in the agri-tech sector. As technology continues to evolve, solutions like this will play a crucial role in ensuring food security, improving crop yield, and supporting sustainable farming practices across the globe.

REFERENCES

[1] Shital Pawar, Sakshi Shedge, Nibedita Panigrahi. "Leaf Disease Detection of Multiple Plants Using Deep Learning." 2022 International Conference on Machine Learning, Big Data, Cloud and Parallel Computing (COM-IT-CON). IEEE, 2022. DOI: 10.1109/COM-IT-CON54601.2022.9850899.

[2] "Multi-class Plant Leaf Image Disease Prediction using Deep Learning Algorithm." Proceedings of the 2022 International Conference on Knowledge Engineering and Communication Systems (ICKES).

[3] "Plant Disease Prediction Using Convolutional Neural Networks." 2023 International Conference on Research Methodologies in Knowledge Management, Artificial Intelligence and Telecommunication Engineering (RMKMATE). IEEE, 2023. DOI: 10.1109/RMKMATE59243.2023.10369533.

[4] Rizqi Amaliatus Sholihati, Indra Adji Sulistijono, Anhar Risnumawan, Eny Kusumawati. "Potato Leaf Disease Classification Using Deep Learning Approach." Politeknik Elektronika Negeri Surabaya, Indonesia.

[5] Divyansh Tiwari, Mritunjay Ashish, Nitish Gangwar, Abhishek Sharma, Suhanshu Patel, Dr. Suyash Bhardwaj. "Potato Leaf Diseases Detection Using Deep Learning." Gurukula Kangri Vishwavidyalaya, Haridwar, India.

[6] Priya Khobragade, Abhishek Shriwas, Shruti Shinde, Aniruddha Mane, Ankush Padole. "Potato Leaf Disease Detection Using CNN." G. H. Raisoni Institute of Engineering and Technology, Nagpur, India.

[7] Bhikadiya, M. "Plant Disease Detection Using CNN with PyTorch." Analytics Vidhya, 2021. [Online]. Available at: https://www.analyticsvidhya.com

[8] PlantVillage Dataset. [Online]. Available at: https://www.crowdai.org/challenges/1

[9] PyTorch Documentation and Tutorials. [Online]. Available at: https://pytorch.org

[10] CodeBasics & DeepLizard. "CNN and Deep Learning Tutorials." YouTube Channels, [Accessed for model understanding].

