

Hybrid Solar Piezoelectric Pavement System in India: A Sustainable Approach for Smart Transportation Infrastructure

Kadambari Pandat¹, Anand Tapase²

¹B.Tech Student, Rayat Shikshan Sanstha's, Karmaveer Bhaurao Patil College of Engineering, Satara -415001, Maharashtra, India. Email – id: kadambaripandat@gmail.com.

²Assistant Professor, Rayat Shikshan Sanstha's, Karmaveer Bhaurao Patil College of Engineering, Satara -415001, Maharashtra, India. Email – id: tapaseanad@gmail.com.

Abstract:

Rapid urbanization and the rising demand for energy in India have accelerated the need for sustainable transportation solutions. Hybrid solar–piezoelectric pavement technology integrates photovoltaic (PV) panels with piezoelectric energy harvesting systems to produce electricity from both sunlight and vehicle-induced pressure. This paper presents a comprehensive review of the concept, operating principle, design considerations, applications, benefits, limitations, and future prospects of hybrid solar–piezoelectric pavements in the Indian context. The study emphasizes the potential use of this technology in highways, smart cities, toll booths, and heavily trafficked urban roads. In addition, it examines the economic viability, environmental impact, and practical challenges associated with implementation under Indian conditions. The review suggests that hybrid pavement systems have significant potential for renewable energy production, carbon emission reduction, and support of intelligent transportation systems (ITS). Nevertheless, issues such as high installation costs, structural durability, maintenance requirements, and limited piezoelectric output remain major concerns that demand further research, experimentation, and real-world pilot projects before widespread adoption becomes feasible.

Keywords — Hybrid energy pavements, piezoelectric roadway systems, solar-integrated roads, green energy technology, intelligent transportation infrastructure, eco-friendly transportation, sustainable road development, Indian transportation sector.

I. INTRODUCTION:

India is experiencing rapid economic growth and continuous expansion of its transportation network. At the same time, the increasing consumption of conventional fuels and the rise in carbon emissions have created a strong need for sustainable and energy-efficient infrastructure systems. Integrating renewable energy technologies into roadway infrastructure offers a promising approach for the development of smart cities and environmentally friendly highways.

Hybrid solar–piezoelectric pavement systems represent an innovative roadway technology designed to generate electrical energy from two renewable sources simultaneously:

1. Solar power captured through photovoltaic (PV) panels installed on or within the pavement surface.
2. Mechanical energy produced by vehicle movement and traffic loads using piezoelectric materials.

By combining these two energy harvesting methods, hybrid pavements can support clean energy

generation while improving the sustainability and functionality of modern transportation infrastructure. Piezoelectric materials have the ability to produce electrical energy when mechanical pressure is applied to them. In roadway applications, the load and vibrations created by moving vehicles can be transformed into usable electricity through piezoelectric components embedded within the pavement structure. In addition, photovoltaic panels integrated into road surfaces can capture solar energy during daylight hours and convert it into electrical power.

The integration of both solar and piezoelectric technologies in a single pavement system enhances the consistency and efficiency of energy generation when compared to systems relying on only one energy source. India offers favorable conditions for the adoption of such hybrid pavement technologies due to several factors, including:

- Abundant availability of solar energy throughout the year.
- Heavy traffic density in metropolitan and urban areas.
- Increasing focus on renewable and sustainable energy solutions.
- Supportive government programs such as the Smart Cities Mission and Green Highways initiatives.

II. Concept of Hybrid Solar–Piezoelectric Pavement System:

A hybrid solar–piezoelectric pavement system is an advanced roadway technology that combines solar energy conversion and piezoelectric energy harvesting within the same pavement structure. The system is designed to generate electrical power from sunlight as well as from the pressure and vibrations caused by moving vehicles.

A. Solar Pavement System:

Solar pavements are developed using photovoltaic panels embedded into the road surface and protected by durable transparent materials such as tempered glass or high-strength polymer coatings. These panels capture solar

radiation and convert it into electrical energy for various roadway applications.

B. Piezoelectric Pavement System:

Piezoelectric pavement technology utilizes special materials capable of producing electricity when subjected to mechanical stress or deformation. Commonly used materials include:

- Lead Zirconate Titanate (PZT)
- Polyvinylidene Fluoride (PVDF)
- Quartz-based crystals

When vehicles move across the pavement, repeated loading generates pressure on these materials, resulting in electrical energy production.

C. Hybrid Integration:

In a hybrid pavement arrangement, both photovoltaic and piezoelectric systems are incorporated into a unified road structure. Solar panels generate electricity during daylight hours, while piezoelectric devices continuously produce energy from vehicle loads and traffic-induced vibrations. This combined approach improves overall energy generation stability and efficiency.

III. Working Principle:

The operation of a hybrid pavement system is based on two simultaneous energy harvesting processes.




Fig 1 Working principle

A. Solar Energy Conversion:

Photovoltaic cells absorb sunlight and convert solar radiation into direct current (DC) electricity through the photovoltaic effect. The generated electrical energy can then be supplied to nearby infrastructure or stored for future use




Fig 2 Internal structure

B. Piezoelectric Energy Generation:



Fig 3 Piezoelectric roadway

C. 3.3 Energy Storage and Utilization:

The electricity generated from both sources is stored using batteries or supercapacitors and later distributed for different transportation-related applications, such as:

- Street and highway lighting
- Traffic control systems
- Smart monitoring sensors
- Electric vehicle charging stations
- Toll plaza operations

Research indicates that combining solar and piezoelectric systems improves reliability because

solar power generation depends on weather conditions, whereas piezoelectric systems alone generally produce lower energy output.

IV. Components of Hybrid Pavement System:

A. Surface Layer:

- Transparent anti-skid glass or polymer covering
- Protective weather-resistant coating

B. Photovoltaic Layer:

- Monocrystalline or thin-film solar panels
- Maximum Power Point Tracking (MPPT) controller

C. Piezoelectric Layer:

- Piezoelectric transducers or sensors
- Mechanical support and protective casing

D. Energy Storage Unit:

- Lithium-ion battery systems
- Supercapacitors for temporary energy storage

E. Power Conditioning System:

- Rectifier
- Inverter
- Voltage regulation unit

V. Applications in India:



Fig 4 Application in India

A. Smart Cities:

- zHybrid pavements can support urban smart infrastructure by supplying energy to streetlights, surveillance systems, and intelligent traffic management devices.

B. Highways and Expressways:



Fig 5 Highways

- Major road corridors with heavy traffic volumes, such as the Mumbai–Pune Expressway and Delhi–Mumbai Expressway, are suitable locations for piezoelectric energy harvesting due to continuous vehicular movement.

C. Toll Collection Areas:



Fig 6 Toll Collection

- Toll plazas experience constant vehicle loading, making them effective locations for generating electricity through embedded piezoelectric systems.

D. Railway Stations and Bus Terminals:



Fig 7 Railway station

Pedestrian walkways equipped with piezoelectric tiles can convert foot traffic into usable electrical energy.

E. Airports:




Fig 8 Airport

- Solar-integrated pavements in airport taxiways, parking areas, and service roads can contribute to auxiliary power generation.

VI. Future Scope in India:

India is steadily advancing toward the use of renewable energy, intelligent transportation networks, and environmentally sustainable infrastructure. Rapid urban growth, increasing power consumption, and continuous expansion of road and highway systems create favourable conditions for the adoption of hybrid solar–piezoelectric pavement technology. By combining energy generation with transportation infrastructure, conventional roads can be transformed into smart and energy-efficient systems capable of supporting future urban development.

A. Integration with Electric Vehicle Charging Infrastructure:

The growing popularity of electric vehicles (EVs) across India has increased the demand for reliable and sustainable charging facilities. Hybrid solar–piezoelectric pavements have the potential to supply clean electrical energy for EV charging by utilizing both solar energy and the mechanical pressure generated by moving vehicles.

Possible future applications include:

- EV charging stations powered through hybrid pavement systems
- Wireless charging lanes for moving electric vehicles
- Smart parking areas equipped with solar-assisted charging units
- Energy support systems for electric buses and public transportation

The implementation of such technologies can help reduce dependence on conventional grid power, promote clean mobility, and strengthen India's shift toward sustainable transportation systems.

C. Artificial Intelligence-Based Traffic and Energy Management:

Artificial Intelligence (AI) has the potential to enhance the operational performance of hybrid solar–piezoelectric pavement systems through continuous monitoring and automated control. By analyzing real-time traffic patterns, energy production, and pavement conditions, AI can help improve the efficiency and reliability of smart roadway infrastructure.

Future AI-based applications may include:

- Estimation of traffic volume for efficient energy harvesting
- Automated street lighting systems activated by vehicle movement
- Smart detection of pavement deterioration and maintenance requirements
- Prediction of energy demand in urban transportation networks

- Real-time optimization of solar and piezoelectric power generation systems

The integration of AI technologies can support better energy management, minimize maintenance expenses, and improve the overall effectiveness of intelligent transportation systems.

D. Self-Powered Smart Highways:

In the future, highways may operate as self-sufficient infrastructure systems capable of producing and utilizing their own electrical power. Hybrid solar–piezoelectric pavements can generate energy directly from sunlight and vehicle movement, reducing dependence on conventional external power supplies for highway operations.

Possible applications include:

- Intelligent street lighting systems
- LED-based lane markings and road studs
- Automated traffic control and warning devices
- Surveillance cameras and roadway monitoring sensors
- Emergency response and communication facilities

The development of self-powered highways can enhance transportation safety, decrease operational energy costs, and encourage sustainable roadway infrastructure.

E. IoT-Enabled Transportation Networks:

The Internet of Things (IoT) enables communication between roads, vehicles, traffic management systems, and monitoring equipment through interconnected digital networks. Hybrid pavement systems can act as localized renewable energy sources for powering these smart devices.

Potential future applications include:

- I. Continuous traffic monitoring systems
- II. Automated toll collection technology
- III. Vehicle detection and speed sensing devices
- IV. Environmental and weather monitoring equipment

V. Communication networks for connected and smart vehicles

The integration of IoT with hybrid pavements can improve traffic control, reduce congestion, and strengthen the development of smart transportation systems and smart cities.

F. Sustainable and Energy-Efficient Urban Infrastructure:

Hybrid pavement technology can support the creation of environmentally friendly urban infrastructure by transforming roadway surfaces into renewable energy-generating platforms.

Possible urban applications include:

- Smart pedestrian pathways
- Energy-producing cycling tracks
- Solar-assisted parking facilities
- Renewable-energy-powered public transport stations
- Smart city infrastructure systems

These applications can help decrease greenhouse gas emissions, reduce dependence on fossil fuels, and improve overall urban energy sustainability.

VII. Conclusion:

Hybrid solar–piezoelectric pavement systems offer a modern and sustainable approach to transportation infrastructure development in India. By integrating photovoltaic and piezoelectric technologies, roadways can function not only as transportation corridors but also as energy-producing systems that support smart city operations.

Although challenges such as high implementation costs, durability limitations, and lower piezoelectric efficiency currently restrict widespread deployment, continuous advancements in renewable energy technologies and smart infrastructure development are expected to improve practical feasibility in the future. India's favorable solar conditions and high traffic density provide strong potential for pilot projects and large-scale adoption. Hybrid pavements may significantly contribute to sustainable development, cleaner energy production, reduced

carbon emissions, and the transformation of traditional roads into intelligent infrastructure systems.

VIII. REFERENCES:

1. Alsharif, A. (2025). *Hybrid Solar–Piezoelectric Pavement Systems: A Dual-Mode Approach for Renewable Energy Harvesting and Sustainable Infrastructure*. *Libyan Journal of Health, Science, and Development*, 1(1), 23–31.
2. Chen, S., Wei, L., Huang, C., & Qin, Y. (2025). *Review of Energy Harvesting Technologies in Pavement Systems*. *Energies*, 18(15), 3959.
3. Heller, L. F., Brito, L. A. T., Coelho, M. A. J., Brusamarello, V., & Nuñez, W. P. (2023). *Real-Time Development of Pavement-Embedded Piezoelectric Harvesters under Traffic Conditions*. *Sensors*, 23(9), 4238.
4. Vizzari, D., Gennesseaux, E., Lavaud, S., Bouron, S., & Chailleux, E. (2021). *Critical Review on Pavement Energy Harvesting Technologies*. *RILEM Technical Letters*, 6, 93–104.
5. Sun, J. Q., Xu, T. B., & Yazdani, A. (2023). *Roadway Piezoelectric Energy Harvesting with Ultra-High Power Density*. University of California, Department of Mechanical Engineering.
6. NREL PVWatts Calculator: <https://pvwatts.nrel.gov/>
7. Colas Group – Wattway Photovoltaic Road Technology: <https://www.colas.com/en/innovation/wattway-photovoltaic-road-surfacing>
8. Oltermann, P. (2014). *The Netherlands Introduces the World's First Solar Cycle Path*. *The Guardian*. <https://www.theguardian.com/environment/2014/nov/05/world-first-solar-cycle-lane-netherlands>
9. Electreon Official Website: <https://electreon.com/>