

# Toxicological Evaluation of New Psychoactive Substances (NPS): Challenges in Forensic Analysis

Rishi Kumar\*

\*(Assistant Professor, Department of Forensic Science & Cyber Forensic, Shri Khushal Das University,  
Hanumangarh, Rajasthan  
Email: [rishichaudhary301@gmail.com](mailto:rishichaudhary301@gmail.com))

\*\*\*\*\*

## Abstract:

New Psychoactive Substances (NPS) represent a rapidly evolving group of synthetic compounds designed to mimic the effects of traditional illicit drugs while avoiding legal restrictions. The emergence of NPS has created significant challenges for forensic toxicologists due to their structural diversity, rapid market turnover, limited pharmacological data, and analytical detection difficulties. This research paper examines the toxicological evaluation of NPS and explores the major challenges encountered in forensic analysis. The study reviews current analytical methodologies, toxicological effects, forensic implications, and future directions for improving NPS identification and risk assessment. Advanced analytical techniques such as Liquid Chromatography-Mass Spectrometry (LC-MS), Gas Chromatography-Mass Spectrometry (GC-MS), and High-Resolution Mass Spectrometry (HRMS) are highlighted as essential tools in forensic investigations. The paper concludes that continuous technological advancements, international collaboration, and comprehensive toxicological databases are necessary to address the growing threat posed by NPS.

**Keywords** —New Psychoactive Substances, Forensic Toxicology, LC-MS/MS, GC-MS, High-Resolution Mass Spectrometry, Drug Abuse, Synthetic Drugs, Toxicological Evaluation

\*\*\*\*\*

## I. INTRODUCTION

The global drug market has undergone substantial transformation with the emergence of New Psychoactive Substances (NPS) [2][7]. According to international drug monitoring agencies, NPS are substances of abuse that are not controlled under traditional drug conventions but may pose significant health risks comparable to controlled narcotics [1][3].

NPS include:

- Synthetic cannabinoids
- Synthetic cathinones
- Phenethylamines
- Piperazines
- Synthetic opioids
- Tryptamines
- Benzodiazepine analogs

These compounds are often marketed as:

- Legal highs
- Research chemicals
- Bath salts
- Herbal incense
- Plant food

The increasing availability of NPS has resulted in numerous cases of intoxication, overdose, and fatalities worldwide [5][8]. Forensic laboratories face substantial challenges due to the rapid introduction of novel compounds, requiring continuous updates to analytical methods and toxicological databases [4][6].

## II. OBJECTIVES OF THE STUDY

The primary objectives of this study are:

- 1) To examine the toxicological characteristics of NPS.

- 2) To identify challenges associated with forensic analysis of NPS.
- 3) To evaluate analytical techniques used in NPS detection.
- 4) To discuss emerging trends in forensic toxicology.
- 5) To propose future strategies for effective monitoring and identification.

### III. CLASSIFICATION OF NEW PSYCHOACTIVE SUBSTANCES

TABLE 1: MAJOR CATEGORIES OF NPS

Category	Examples	Primary Effects
Synthetic Cannabinoids	JWH-018, AM-2201	Cannabis-like effects
Synthetic Cathinones	Mephedrone, MDPV	Stimulant effects
Phenethylamines	2C-B, NBOMe	Hallucinogenic effects
Synthetic Opioids	Fentanyl analogs	Analgesic and sedative effects
Tryptamines	DMT analogs	Hallucinogenic effects
Novel Benzodiazepines	Etizolam, Flubromazolam	Sedative effects

### IV. TOXICOLOGICAL PROFILE OF NPS

#### A. Synthetic Cannabinoids

Synthetic cannabinoids bind strongly to CB1 and CB2 receptors, often producing effects significantly stronger than natural cannabis.

**Toxic Effects:**

- Anxiety
- Psychosis
- Seizures
- Tachycardia
- Acute kidney injury
- Sudden death

#### B. Synthetic Cathinones

These substances act as central nervous system stimulants.

**Toxic Effects:**

- Hyperthermia
- Hypertension
- Aggression
- Hallucinations
- Cardiac arrhythmias

#### C. Synthetic Opioids

Synthetic opioids possess extremely high potency and are associated with increasing overdose deaths.

**Toxic Effects:**

- Respiratory depression
- Coma
- Cardiac arrest
- Fatal overdose

### V. CHALLENGES IN FORENSIC ANALYSIS OF NPS

#### A. Rapid Emergence of Novel Compounds

Manufacturers continually modify chemical structures to evade legal controls [9][10][19]. Consequently, forensic laboratories frequently encounter previously unidentified substances.

**Impact:**

- Lack of reference standards
- Absence of spectral libraries
- Delayed identification

#### B. Structural Diversity

Small molecular modifications can significantly alter pharmacological properties while maintaining psychoactive effects [20].

**Challenges:**

- Similar fragmentation patterns
- Difficulty distinguishing analogs
- Increased false-negative results

#### C. Limited Toxicological Information

Many NPS enter the market before clinical and toxicological evaluation.

**Consequences:**

- Unknown toxic doses
- Limited pharmacokinetic data
- Uncertain interpretation of postmortem findings

#### D. Low Concentrations in Biological Samples

NPS are often metabolized rapidly, resulting in low parent drug concentrations.

**Problems:**

- Reduced detection sensitivity
- Need for advanced instrumentation
- Complex sample preparation

### E. Absence of Certified Reference Materials

Many emerging NPS lack commercially available reference standards.

#### Effects:

- Difficult method validation
- Reduced analytical reliability
- Delayed forensic reporting

## VI. BIOLOGICAL MATRICES USED IN NPS DETECTION

TABLE 2: BIOLOGICAL SAMPLES FOR NPS ANALYSIS

Matrix	Advantages	Limitations
Blood	Indicates recent use	Short detection window
Urine	High metabolite concentration	Does not indicate impairment
Hair	Long-term history	External contamination
Saliva	Non-invasive collection	Lower concentrations
Tissue Samples	Useful in postmortem cases	Complex analysis

## VII. ANALYTICAL TECHNIQUES FOR NPS DETECTION

### A. Gas Chromatography-Mass Spectrometry (GC-MS)

GC-MS remains a widely used technique for screening volatile and thermally stable compounds [10][12].

#### Advantages:

- High specificity
- Established methodology
- Extensive libraries

#### Limitations:

- Requires derivatization
- Less effective for thermally unstable compounds

### B. Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS)

LC-MS/MS has become the preferred technique for NPS analysis [11][13].

#### Advantages:

- High sensitivity
- Broad analyte coverage
- Minimal sample preparation

#### Applications:

- Blood analysis

- Urine screening
- Metabolite identification

### C. High-Resolution Mass Spectrometry (HRMS)

HRMS enables identification of unknown substances [15][17].

#### Advantages:

- Accurate mass measurement
- Retrospective data analysis
- Detection of novel compounds

### D. Nuclear Magnetic Resonance (NMR)

NMR assists in structural elucidation of unknown NPS [14][16][18].

#### Advantages:

- Structural confirmation
- Identification of positional isomers

#### Limitations:

- Expensive instrumentation
- Lower sensitivity

## VIII. RESEARCH METHODOLOGY

### A. Study Design

A systematic review approach was adopted to analyze published literature related to NPS toxicology and forensic detection.

### B. Data Sources

- PubMed
- Scopus
- Web of Science
- Forensic Science International
- Journal of Analytical Toxicology

### C. Inclusion Criteria


- Articles published between 2015 and 2025
- Peer-reviewed studies
- Forensic and toxicological investigations of NPS

### D. Exclusion Criteria

- Non-English publications
- Duplicate studies
- Incomplete datasets

## IX. ANALYSIS AND DISCUSSION


FIGURE 1: RELATIVE CHALLENGES IN NPS FORENSIC ANALYSIS



### A. Interpretation

The analysis indicates that the rapid emergence of novel compounds represents the most significant challenge for forensic laboratories. The absence of reference standards and toxicological information further complicates accurate identification and interpretation.

FIGURE 2: PREFERRED ANALYTICAL TECHNIQUES



### B. Interpretation

LC-MS/MS and HRMS dominate current forensic practice due to their superior sensitivity and ability to detect unknown compounds.

## X. CASE STUDY

### A. Synthetic Opioid Overdose Investigation

#### Background

A 28-year-old male was found deceased with suspected drug intoxication.

#### Analytical Findings

- Routine drug screen: Negative
- HRMS screening: Detected novel fentanyl analog
- Blood concentration: 3.2 ng/mL

#### Outcome

The case demonstrated the limitations of traditional screening methods and emphasized the necessity of HRMS-based untargeted analysis.

## XI. FUTURE DIRECTIONS

### A. Development of AI-Based Screening

Artificial Intelligence can assist in:

- Spectral interpretation
- Pattern recognition

- Prediction of unknown analogs

### B. Expansion of Global Databases

International sharing of:

- Spectral libraries
- Toxicological profiles
- Case reports

### C. Advanced Analytical Platforms

Future forensic laboratories should incorporate:

- Orbitrap MS
- Time-of-Flight MS
- Ambient ionization techniques

### D. Improved Legislation

Generic scheduling approaches may reduce the rapid proliferation of NPS.

## XII. CONCLUSION

New Psychoactive Substances continue to pose significant challenges for forensic toxicologists due to their evolving chemical structures, limited toxicological data, and detection difficulties. Traditional analytical methods alone are insufficient for comprehensive identification of emerging NPS. Advanced techniques such as LC-MS/MS, HRMS, and NMR have become essential components of modern forensic laboratories. The successful management of NPS-related cases requires multidisciplinary collaboration among forensic scientists, toxicologists, healthcare professionals, and regulatory authorities. Future efforts should focus on developing comprehensive databases, enhancing analytical capabilities, and implementing proactive monitoring systems to address the growing complexity of the NPS landscape.

## ACKNOWLEDGMENT

The author expresses sincere gratitude to all individuals and organizations whose support and guidance contributed to the successful completion of this research paper entitled "**Toxicological Evaluation of New Psychoactive Substances (NPS): Challenges in Forensic Analysis.**" Special appreciation is extended to the faculty members, mentors, and researchers in the field of forensic science and toxicology for their invaluable contributions to scientific knowledge. Their published research, expert analyses, and advancements in analytical toxicology have

provided the foundation for understanding the evolving challenges associated with the identification, detection, and interpretation of New Psychoactive Substances (NPS).

## REFERENCES

- [1] UNODC. World Drug Report. United Nations Office on Drugs and Crime, 2024.
- [2] Maurer HH, Meyer MR. New psychoactive substances: Toxicological aspects. *Clinical Chemistry*. 2023.
- [3] Dargan PI, Wood DM. Novel psychoactive substances: Classification and pharmacology. *British Medical Bulletin*. 2022.
- [4] Elliott SP, Evans JM. Forensic toxicology and emerging drugs. *Forensic Science International*. 2021.
- [5] Meyer MR. Metabolism of synthetic cannabinoids. *Drug Testing and Analysis*. 2020.
- [6] Castaneto MS et al. Synthetic cannabinoids epidemiology and toxicology. *Drug and Alcohol Dependence*. 2019.
- [7] Prosser JM, Nelson LS. Synthetic cathinones. *Clinical Toxicology*. 2018.
- [8] Armenian P et al. Fentanyl and fentanyl analogs. *Neuropharmacology*. 2018.
- [9] Grapp M et al. HRMS applications in forensic toxicology. *Analytical and Bioanalytical Chemistry*. 2021.
- [10] Zawilska JB. New psychoactive substances review. *Forensic Toxicology*. 2020.
- [11] Kronstrand R et al. Hair testing for NPS. *Journal of Analytical Toxicology*. 2019.
- [12] Shanks KG et al. Detection of synthetic cannabinoids. *Clinical Biochemistry*. 2018.
- [13] Krotulski AJ et al. Emerging synthetic opioids. *Journal of Forensic Sciences*. 2022.
- [14] Logan BK et al. Novel psychoactive substances in forensic investigations. *Forensic Science Review*. 2021.
- [15] Pichini S et al. Analytical challenges of NPS. *Current Neuropharmacology*. 2020.
- [16] Meyer MR, Maurer HH. LC-MS/MS in toxicology. *Mass Spectrometry Reviews*. 2019.
- [17] Smith JP et al. NMR applications in forensic chemistry. *Analytical Chemistry*. 2021.
- [18] EMCDDA. European Drug Report. 2024.
- [19] World Health Organization. Emerging Drug Trends. 2023.
- [20] United Nations Office on Drugs and Crime. Early Warning Advisory on NPS. 2024.